

### LED Plug n'Play Landscape Fixtures





# LED landscape lighting designed to fit every need...including profit.

You want to give your customers the best possible products while remaining affordable for them, yet profitable for you. The solution is professional -grade line of LED plug n'play landscape fixtures from Super Bright LEDs. The series features fixture housings made from solid brass, stainless steel, and cast aluminum, with plug n'play connectors that make installation easy.

These versatile, heavy duty fixtures are enhanced with a sleek design style and advanced optics for even greater energy efficiency. Each fixture is fully-potted and sealed featuring a range of color temperature choices and a variety of beam pattern options, making them the best choice for any landscape lighting job. The diverse collection includes a variety of fixtures for spot / flood lighting, up-lighting, down-lighting, and underwater applications.

### LED Landscape Fixtures Spot / Flood

SUBMERSIBL

### lumeplus







Name	8 Watt LED Spot Light	6 Watt LED Spot Light	3 Watt LED Spot Light
Part #	CW8W-S30 (30°)	CW6W-S40 (40°) WW6W-S40 (40°)	CW3W-S30 (30°) WW3 W-S30 (30°)
Housing / Finish	Cast Brass / Nickel Plated	Cast Brass / Nickel Plated	Cast Brass / Nickel Plated
Light Source	4 CREE LEDs, 5200K Cool White (CW) 72 CRI	3 CREE LEDs, 3000K Warm White (WW) 82 CRI, or 5200K Cool White (CW) 72 CRI	3 CREE LEDs, 3000K Warm White (WW) 84 CRI, or 5200K Cool White (CW) 71 CRI
Lumens	490 Cool White (CW)	390 Cool White (CW) 300 Warm White (WW)	180 Cool White (CW) 140 Warm White (WW)
Power Usage @ 12V AC	13W	7.8W (CW) 7.3W (WW)	3.3W
Operating Voltage Range	12V AC/DC	12V AC/DC	12V AC/DC
Wiring	59" with connector	58" with connector	58" with connector
Included Mounting Accessories	n/a (see accessories)	n/a (see accessories)	n/a (see accessories)
Water Resistance	IP68 Immersible / Waterproof	IP68 Immersible / Waterproof	IP68 Immersible / Waterproof
Weight	14.9 oz.	10.1 oz.	6.8 oz.







### LED Landscape Fixtures Spot / Flood

### lumeplus

SUBMERSIBLE		(Remote sold separately)
Name	1 Watt LED Flood Light	6 Watt RGB LED Spot Light
Part #	CW1W-S60 (60°) WW1W-S60 (60°)	RGB6W-S40 (40°) MCL (Remote)
Housing / Finish	Cast Brass / Nickel Plated	Cast Brass / Nickel Plated
Light Source	1 CREE LED, 3000K Warm White (WW) 84 CRI, or 6500K Cool White (CW) 90 CRI	3 CREE LEDs, 3000K, 83 CRI
Lumens	100 Cool White (CW) 40 Warm White (WW)	200
Power Usage @ 12V AC	1.5W	5.5W
Operating Voltage Range	12V AC/DC	12V AC/DC
Wiring	58" with connector	58" with connector
Included Mounting Accessories	n/a (see accessories)	n/a (see accessories)
Water Resistance	IP68 Immersible / Waterproof	IP68 Immersible / Waterproof
Weight	5 oz.	10 oz.
	2 17"	2 76"







#### Easy Integration

products can be integrated into existing 12 volt systems using the Pig Tail Cable

#### Spot & Flood Fixture Mounting Options







Ground Stake

Weighted Base Mor

Mounting Base







Tube Bracket

Wall Mount

**Extension Tube** 

### LED Landscape Fixtures Spot / Flood

# lumeplus

SUBMERSIBLE				
Name	6 Watt LED Spot Light	3 Watt LED Spot Light		
Part #	1x6W-SVB (15° 30° & 60°)	1x3W-SVB (15° 30° & 60°)	quick connectors make	
Housing / Finish	Cast Aluminum / Brown Powder Coated	Cast Aluminum / Brown Powder Coated	plug n'play easy.	
Light Source	1 CREE LED, 3000K Warm White	1 CREE LED, 3000K Warm White		
Lumens	385	174	Each of these lights includes.	
Power Usage @ 12V AC	5W	3W		
Operating Voltage Range	12V AC/DC	12V AC/DC		
Wiring	59" with connector	59" with connector	Ground Stake Mounting	
Included Accessories	Mounting Base, Ground Stake, Glare Shield, 2 Interchangeable Lenses	Mounting Base, Ground Stake, Glare Shield, 3 Interchangeable Lenses		
Water Resistance	IP68 Immersible / Waterproof	IP68 Immersible / Waterproof		
Weight	5.4 oz.	4 oz.		
	0.75"	0.075"		





#### s:



ng Base





Interchangeable **Optic Lenses** 

Adjustable **Glare Shield** 

### LED Landscape Fixtures Up Lights

## lumeplus

SUBMERSIBLE			
Name	8 Watt LED Up Light	1 Watt LED Up Light	3 Watt LED Up Light
Part #	CW8W-U30 (30°)	WW1W-U120(120°) CW1W-U120 (120°)	WW03W-U120 (120°) CW03W-U120 (120°)
Housing / Finish	Aluminum & Stainless Steel / Natural	Aluminum & Stainless Steel / Natural	Aluminum & Stainless Steel / Natural
Light Source	4 CREE LEDs, 5200K Cool White (CW) 81 CRI	1 CREE LEDs, 3000K Warm White (WW) 82 CRI, 5200K Cool White (CW) 72 CRI	1 5050SMD LEDs, 3000K Warm White (WW) 82 CRI, 5200K Cool White (CW) 72 CRI
Lumens	100 Cool White (CW)	25 Warm White (WW) 30 Cool White (CW)	5
Power Usage @ 12V AC	13W	1.5W	.4W
Operating Voltage Range	12V AC/DC	12V AC/DC	12V AC/DC
Wiring	59" with connector	72" with connector	72" with connector
Included Mounting Accessories	Plastic Sleeve	Plastic Sleeve	n/a
Water Resistance	IP68 Immersible / Waterproof	IP68 Immersible / Waterproof	IP68 Immersible / Waterproof
Weight	2 lbs 7 oz.	2.9 oz.	1 oz.







# lumeplus



MCL RGB Remote (sold separately)



#### Brilliant Colors...Infinite Possibilities

Color changing RGB LED lights are the ideal solution to create a versatile, unique lighting scheme for your client's landscaping. The RGB Remote makes creating the right color mix and lighting pattern for RGB lighting easy and affordable. RGB18W-S40 & RGB6W-S40 - RGB Spot Light (sold separately)

#### Features

- · 16 static color modes including bright white
- · 4 dynamic color-changing modes
- Last mode and color retention. Retain last mode when power is cycled
- · Sync one remote to control several fixtures
- Also controls MR16-RGB3W-60 RGB replacement bulb for existing MR16 fixtures

#### LED Landscape Fixtures

# lumeplus



Mounting Base



Weighted Base



Ground Stake



Extension Tube



Wall Mount



Tube Bracket





**Glare Shields** 

Connectors

**Extension Cable** 



**Cable Connector** 



Pig Tail Cable



Waterproof Connector



1 to 3 Waterproof Junction Box



Supplies Power :

**Dusk to Dawn Sensor** 



**6W 12VAC** 



10W 12VAC



20W 12VAC



60W 12VAC



100W 12VAC