



*From building to products, concrete is back in design used as a major trend for architects & designers*

lumeplus

*What others can't dream we accomplish in reality*















**Concrete LED Spot**  
**Model - VI 2016**



Technical data

**Cement Fine Concrete combined with Aluminum & PVC**

Unique Track ceiling Mount LED Spot

From building to products, concrete is back in design used as a major trend for architects & designers , Concrete's unique texture is a highlight of interior styling , it can bring people a new feeling which is different from other materials.

Lumeplus pursues the original texture of materials in order to retain the exquisite texture of concrete and keep the natural bubble holes no resin is added to the mold. In terms of visual effect, our design achieves wow factor aesthetic sense presenting pure, clean, strong feeling of concrete.

Dimension:  $\varnothing 66 \times L270$  mm

Weight: 0.8 kg

Lamp Holder Finish: Black

Lighting Area 3-4SqMts per Unit

input voltage 100-277V AC, 50-60Hz LED

power 7W-Light source COB GU10 Lamp

Total Lumens 525Lm  $\pm 5\%$  CRI  $\geq 85$

Color temp 3000K-6000K

Lifespan  $\geq 25000$ h

Working temperature  $-30^{\circ}\sim 45^{\circ}\text{C}$

IP20 Protection Class II ,CE

Make Lumeplus Model - VI 2016



## Concrete LED Pendant

Model - LINEYI 2015



## Technical data

### Cement Fine Concrete combined with Metal & Coal Cinders

Being one of the important energy since the Industrial Revolution, coal has brought human huge fortunes, The high strength and low density of anthracite coal cinders can increase the strength of cement and lower the weight of product. To combine the anthracite coal cinders and cement to make this product are kind of both discovery and challenge..

Dimension: L1245 x W48 x H80 mm

Wire Cord 1500mm Black

Weight: 5 kg

Lamp Holder Finish: Black

Lighting Area 4-6SqMts per Unit

input voltage 100-277V AC, 50-60Hz LED

power 18W-Light source T5 LED Tube

Total Lumens 1530Lm ±5% CRI ≥85

Color temp 3000K-6000K

Lifespan ≥25000h

Working temperature -30°~45°C

IP20 Protection Class I I ,CE

Make Lumeplus Model - LINEYI 2015





## Concrete LED Pendant

Model - GNAHS 2015



## Technical data

### Cement Fine Concrete combined with Bamboo & Metal Parts

Unique ceiling suspension LED pendant

From building to products, concrete is back in design used as a major trend for architects & designers , Concrete's unique texture is a highlight of interior styling , bringing a new feeling which is different from other materials.

Lumeplus pursues the original texture of materials in order to retain the exquisite texture of concrete and keep the natural bubble holes no resin is added to the mold. In terms of visual effect, our design achieves wow factor aesthetic sense presenting pure, clean, strong feeling of concrete.

Dimension: Ø220 x H240 mm

Wire Cord 2Meter Black

Weight: 1.5 kg

Lamp Holder Finish: Natural wood / Black / Red

Lighting Area 3-4SqMts per Unit

input voltage 100-277V AC, 50-60Hz LED

power 3W-Light source E14 LED Bulb

Total Lumens 255Lm ±5% CRI ≥85

Color temp 3000K-6000K

Lifespan ≥25000h

Working temperature -30°~45°C

IP20 Protection Class I I ,CE

Make: Lumeplus Model - GNAHS 2015



Modifications are possible due to the constant development and improvement of LED technology ( Lumeplus Subject to technical modification 3.2017 )

**Concrete LED Pendant**  
**Model - NAUH 2015**



Technical data

**Cement Fine Concrete combined with Metal Parts**

Unique ceiling surface mount simple design NAUH 2015 lamp lights up space homogeneously with its beauty of natural texture of concrete, low profile with all these characteristics, concrete products can fit the space well.

Lumeplus pursues the original texture of materials in order to retain the exquisite texture of concrete and keep the natural bubble holes no resin is added to the mold. In terms of visual effect, our design achieves wow factor aesthetic sense presenting pure, clean, strong feeling of concrete.

Dimension:  $\varnothing 274 \times H60$  /  $\varnothing 138 \times H60$  mm

Weight: 1.7 / 0.7 kg

Lamp Holder Finish: Natural / Black

Lighting Area 6-8 SqMts per Unit

input voltage 100-277V AC, 50-60Hz LED

power 30W-10W SMD Back Lit LED Light source SMD

Total Lumens 2400Lm -800Lm $\pm$ 5% CRI  $\geq$ 85

Color temp 3000K-6000K

Lifespan  $\geq$ 25000h

Working temperature -30 $^{\circ}$ ~45 $^{\circ}$ C

IP20 Protection Class II ,CE

Make: Lumeplus Model - NAUH 2015



Modifications are possible due to the constant development and improvement of LED technology (Lumeplus Subject to technical modification 3.2017)



## Round Square Table

Model - NAW 2015



## Technical data

### Cement Fine Concrete combined with stainless steel stands piecing together spirally

Round Square Table a work inspired by the symbol from ancient times, is it a coincidence or an elaborate design. Like the stainless steel stands piecing together spirally, all things on earth have interesting links with each other..

Lumeplus pursues the original texture of materials in order to retain the exquisite texture of concrete and keep the natural bubble holes. No resin is added to the mold. In terms of visual effect, our design achieves wow factor aesthetic sense presenting pure, clean, strong feeling of concrete.

Dimension:  $\Phi 800 \times H750$  /  $L800 \times W800 \times H750$  mm

Material: Concrete & stainless steel stands

Weight: 34 kg

Finish: Natural / Black / Red

Make: Lumeplus Model - NAW 2015



Modifications are possible due to the constant development and improvement of LED technology ( Lumeplus Subject to technical modification 3.2017 )

## Concrete LED Pendant

### Model - NER 2016



## Technical data

### Cement Fine Concrete with Metal Parts

#### Unique ceiling suspension LED pendant

From building to products, concrete is back in design used as a major trend for architects & designers , Concrete's unique texture is a highlight of interior styling , it can bring people a new feeling which is different from other materials.

Lumeplus pursues the original texture of materials in order to retain the exquisite texture of concrete and keep the natural bubble holes no resin is added to the mold. In terms of visual effect, our design achieves wow factor aesthetic sense presenting pure, clean, strong feeling of concrete.

Dimension: Ø200 x H317mm - Ø300 x H260 mm - Ø400 x H210mm

Wire Cord 1800mm

Weight: 2.3 / 1.9 / 3.5 kg

Lamp Holder Finish: Gold / Black /

Lighting Area 4-6SqMts per Unit

input voltage 100-277V AC, 50-60Hz LED

power 9W-Light source E27 LED Bulb

Total Lumens 810Lm ±5% CRI ≥85

Color temp 3000K-6000K

Lifespan ≥25000h

Working temperature -30°~45°C

IP20 Protection Class II ,CE

Make Lumeplus Model - NER 2016





## Concrete LED Pendant

Model - EIQ 2012



## Technical data

### Cement Fine Concrete combined with Bamboo

Unique ceiling suspension LED pendant

From building to products, concrete is back in design used as a major trend for architects & designers , Concrete's unique texture is a highlight of interior styling , it can bring people a new feeling which is different from other materials.

Lumeplus pursues the original texture of materials in order to retain the exquisite texture of concrete and keep the natural bubble holes no resin is added to the mold. In terms of visual effect, our design achieves wow factor aesthetic sense presenting pure, clean, strong feeling of concrete.

Dimension: Ø96 x H162mm - Ø96 x H178mm-  
Ø96 x H219mm

Wire Cord 2000mm Black

Weight: 1 / 1.1 / 1.2 kg

Lamp Holder Finish: Natural Bamboo

Lighting Area 2-3SqMts per Unit

input voltage 100-277V AC, 50-60Hz LED

power 3W-Light source E27 LED Bulb

Total Lumens 255Lm ±5% CRI ≥85


Color temp 3000K-6000K

Lifespan ≥25000h

Working temperature -30°~45°C

IP20 Protection Class II ,CE

Make Lumeplus Model - EIQ 2012



## Concrete LED Pendant

Model - GNAB 2012



## Technical data

### Cement Fine Concrete with Metal Parts

#### Unique ceiling suspension LED pendant

From building to products, concrete is back in design used as a major trend for architects & designers. A rough material, though endowed with exquisiteness by industrial manufacture, still rough, is not only a product but also a sort of aesthetics or art.

Lumeplus pursues the original texture of materials in order to retain the exquisite texture of concrete and keep the natural bubble holes. No resin is added to the mold. In terms of visual effect, our design achieves wow factor aesthetic sense presenting pure, clean, strong feeling of concrete.

Dimension: Ø40 x H310mm

Wire Cord 2000mm Black

Weight: 0.8 kg

Lamp Holder Finish: Black

Lighting Area 1SqMts per Unit

input voltage 100-277V AC, 50-60Hz LED

power 1W-Light source G9 LED

Total Lumens 125Lm ±5% CRI ≥85

Color temp 3000K-6000K

Lifespan ≥25000h

Working temperature -30°~45°C

IP20 Protection Class II, CE

Make Lumeplus Model - GNAB 2012



Modifications are possible due to the constant development and improvement of LED technology (Lumeplus Subject to technical modification 3.2017)



## Concrete LED Pendant

### Model - RALLIP 2017



## Technical data

### Cement Fine Concrete with Metal Parts

#### Unique ceiling suspension LED pendant

From building to products, concrete is back in design used as a major trend for architects & designers, Concrete's unique texture is a highlight of interior styling, it can bring people a new feeling which is different from other materials.

Lumeplus pursues the original texture of materials in order to retain the exquisite texture of concrete and keep the natural bubble holes no resin is added to the mold. In terms of visual effect, our design achieves wow factor aesthetic sense presenting pure, clean, strong feeling of concrete.

Dimension:  $\varnothing$  66x198 /  $\varnothing$  62x198 mm

Wire Cord 2000mm Black

Weight: 0.86 kg

Lamp Holder Finish: Black

Lighting Area 1-2SqMts per Unit

input voltage 100-277V AC, 50-60Hz LED

power 3W-Light source GU10 or E27

Total Lumens 255Lm  $\pm$ 5% CRI  $\geq$ 85

Color temp 3000K-6000K

Lifespan  $\geq$ 25000h

Working temperature -30 $^{\circ}$ ~45 $^{\circ}$ C

IP20 Protection Class II, CE

Make Lumeplus Model - RALLIP 2017



## Concrete LED Pendant

Model - 304 2014



## Technical data

### Cement Fine Concrete with Metal Parts

Unique ceiling suspension LED pendant

From building to products, concrete is back in design used as a major trend for architects & designers, Concrete's unique texture is a highlight of interior styling, it can bring people a new feeling which is different from other materials.

Lumeplus pursues the original texture of materials in order to retain the exquisite texture of concrete and keep the natural bubble holes no resin is added to the mold. In terms of visual effect, our design achieves wow factor aesthetic sense presenting pure, clean, strong feeling of concrete.

Dimension: W135 x D135mm x H160mm

Ø100 x H160mm W90 x D90mm x H160mm

Wire Cord 2000mm Black

Weight: 1.4 kg / 1.4 kg / 1.6 kg

Lamp Holder Finish: Black

Lighting Area 2-3SqMts per Unit

input voltage 100-277V AC, 50-60Hz LED

power 3W-Light source E27 LED Bulb

Total Lumens 255Lm ±5% CRI ≥85

Color temp 3000K-6000K

Lifespan ≥25000h

Working temperature -30°~45°C

IP20 Protection Class I I ,CE

Make Lumeplus Model - 304 2014



## Concrete LED Pendant

Model - UT 2012



## Technical data

### Cement Fine Concrete combined with Terrazzo & Metal

Unique suspension LED pendant from building to products, concrete is back in design used as a major trend for architects & designers, Concrete's unique texture is a highlight of interior styling, it can bring people a new feeling which is different from other materials.


Lumeplus pursues the original texture of materials in order to retain the exquisite texture of concrete and keep the natural bubble holes no resin is added to the mold. In terms of visual effect, our design achieves wow factor aesthetic sense presenting pure, clean, strong feeling of concrete.

Dimension: Ø96 x H104mm  
Wire Cord 2000mm Black/yellow/Red  
Weight: 1 kg  
Lamp Holder Finish: Black/Red/yellow

Lighting Area 2-3SqMts per Unit  
input voltage 100-277V AC, 50-60Hz LED  
power 3W-Light source E27 LED Bulb  
Total Lumens 255Lm ±5% CRI ≥85  
Color temp 3000K-6000K  
Lifespan ≥25000h  
Working temperature -30°~45°C  
IP20 Protection Class I I ,CE

Make Lumeplus Model - UT 2012





## Concrete LED Pendant

Model - GNAB 2017



## Technical data

### Cement Fine Concrete combined with Terrazzo & Metal

#### Unique ceiling suspension LED pendant

From building to products, concrete is back in design used as a major trend for architects & designers , Concrete's unique texture is a highlight of interior styling , it can bring people a new feeling which is different from other materials.

Lumeplus pursues the original texture of materials in order to retain the exquisite texture of concrete and keep the natural bubble holes no resin is added to the mold. In terms of visual effect, our design achieves wow factor aesthetic sense presenting pure, clean, strong feeling of concrete.

Dimension: Ø40 x H310mm

Wire Cord 2000mm Black

Weight: 0.8 kg

Lamp Holder Finish: Black / Gold

Lighting Area 1SqMts per Unit

input voltage 100-277V AC, 50-60Hz LED

power 1.5W-Light source G9 LED

Total Lumens 125Lm ±5% CRI ≥85

Color temp 3000K-6000K

Lifespan ≥25000h

Working temperature -30°~45°C

IP20 Protection Class I I ,CE

Make Lumeplus Model - GNAB 2017



Modifications are possible due to the constant development and improvement of LED technology ( Lumeplus Subject to technical modification 3.2017 )

## Concrete LED Pendant

### Model - DROP 2013



## Technical data

### Cement Fine Concrete combined with Metal

Unique ceiling suspension LED pendant

From building to products, concrete is back in design used as a major trend for architects & designers , Concrete's unique texture is a highlight of interior styling , it can bring people a new feeling which is different from other materials.

Lumeplus pursues the original texture of materials in order to retain the exquisite texture of concrete and keep the natural bubble holes no resin is added to the mold. In terms of visual effect, our design achieves wow factor aesthetic sense presenting pure, clean, strong feeling of concrete.

Dimension: Ø96 x H180mm

Wire Cord 2000mm Black/yellow/Red/Blue

Weight: 1.5 kg

Lamp Holder Finish: Black

Lighting Area 1-2SqMts per Unit

input voltage 100-277V AC, 50-60Hz LED

power 3W-Light source E27 LED Bulb

Total Lumens 255Lm ±5% CRI ≥85

Color temp 3000K-6000K

Lifespan ≥25000h

Working temperature -30°~45°C

IP20 Protection Class I I ,CE

Make Lumeplus Model - DROP 2013





**Concrete LED Pendant**  
**Model - KIA 2013**



Technical data

**Cement Fine Concrete combined with Metal**

Unique ceiling suspension LED pendant

From building to products, concrete is back in design used as a major trend for architects & designers , Concrete's unique texture is a highlight of interior styling , it can bring people a new feeling which is different from other materials.

Lumeplus pursues the original texture of materials in order to retain the exquisite texture of concrete and keep the natural bubble holes no resin is added to the mold. In terms of visual effect, our design achieves wow factor aesthetic sense presenting pure, clean, strong feeling of concrete.

Dimension: Ø110 x H115mm

Wire Cord 2000mm Black

Weight: 0.9 kg

Lamp Holder Finish: Black

Lighting Area 2-3SqMts per Unit

input voltage 100-277V AC, 50-60Hz LED

power 3W-Light source E27 LED Bulb

Total Lumens 255Lm ±5% CRI ≥85

Color temp 3000K-6000K

Lifespan ≥25000h

Working temperature -30°~45°C

IP20 Protection Class II ,CE

Make Lumeplus Model - KIA 2013



**Concrete LED Pendant**  
**Model - OAM 2015**



Technical data

**Cement Fine Concrete combined with Metal**

Unique ceiling suspension LED pendant

From building to products, concrete is back in design used as a major trend for architects & designers , Concrete's unique texture is a highlight of interior styling , it can bring people a new feeling which is different from other materials.

Lumeplus pursues the original texture of materials in order to retain the exquisite texture of concrete and keep the natural bubble holes no resin is added to the mold. In terms of visual effect, our design achieves wow factor aesthetic sense presenting pure, clean, strong feeling of concrete.

Dimension: Ø280 x H240 mm

Wire Cord 2000mm Black

Weight: 2.2 kg

Lamp Holder Finish: Black

Lighting Area 4-6SqMts per Unit

input voltage 100-277V AC, 50-60Hz LED

power 6W-Light source E27 LED Bulb

Total Lumens 510Lm ±5% CRI ≥85

Color temp 3000K-6000K

Lifespan ≥25000h

Working temperature -30°~45°C

IP20 Protection Class II ,CE

Make Lumeplus Model - OAM 2015



