



Suspended Light

CustomChandelier

Coordinates is a lighting system with diffuse light composed of horizontal and vertical luminaires arranged in a bright grid of various shapes and complexities. Each element is made of extruded anodized aluminum with a champagne for black. And opal PMMA diffuser with an integrated LED strip for custom Installations. Each coordinates configuration includes its own ceiling rose installation with a remote power supply.



Input voltage: AC110-240V

Light Source: SMD COB Strip LED

Dimension: L2000*B1060mm

Color temperature: 2700K,3000K,4000K

CRI>90 Lifespan ≥50000h

Material Aluminum + Iron + Silicone

Working temperature: -30°~50°C



CE, IP20 Protection Class I I

Finish Black/Champagne 3 year Warranty




Make: Lumeplus LPCHS3


Polar diagram




Technical Drawing



TOP VIEW



FRONT VIEW



SIDE VIEW



Reference Image



PROJECT NAME :

INSTALLATION AREA :

CUSTOMER CONFIRMATION :

Model No	LPCHS3
Fixture Type	PENDANT
Dimension	L2000*B1060
Finish	
Weight	
Quantity	
Light Source	Built-in LED
Standard	CE

REV NO	REV DATE	DESCRIPTION
REVISIONS		

CLIENT

Drawn by	MH
Checked by	AX
Proportion	
Date	

Length in : MM



Suspended Light

CustomChandelier

Coordinates is a lighting system with diffuse light composed of horizontal and vertical luminaires arranged in a bright grid of various shapes and complexities. Each element is made of extruded anodized aluminum with a champagne for black. And opal PMMA diffuser with an integrated LED strip for custom Installations. Each coordinates configuration includes its own ceiling rose installation with a remote power supply.



Input voltage: AC110-240V

Light Source: SMD COB Strip LED

Dimension: L2000*B800mm

Color temperature: 2700K,3000K,4000K

CRI>90 Lifespan ≥50000h

Material: Aluminum + Iron + Silicone

Working temperature: -30°~50°C



CE, IP20 Protection Class II

Finish Black/Champagne 3 year Warranty




Make: Lumeplus LPCHS4


Polar diagram




Technical Drawing



TOP VIEW



SIDE VIEW



FRONT VIEW



Reference Image



PROJECT NAME :

INSTALLATION AREA :

CUSTOMER CONFIRMATION :

Model No	LPCHS4
Fixture Type	PENDANT
Dimension	L2000*B800
Finish	
Weight	
Quantity	
Light Source	Built-in LED
Standard	CE

REV NO	REV DATE	DESCRIPTION
REVISIONS		

CLIENT

Drawn by	MH
Checked by	AX
Proportion	
Date	

Length in : MM